

AM Admit as Inpatient to: Med/Surg Telemetry ICU

Allergies: _____

Diagnosis: _____

Height: _____ Weight: _____ (kg)

Consults:

Wound/Ostomy/Continence Nurse, Reason: _____

Other: _____ Reason: _____

Nutrition

NPO after Midnight

Laboratory (Laboratory to have the following tests performed: _____)

- Comprehensive Metabolic Panel
- Notify Anesthesia if blood glucose >180 or <70
- CBC, Automated Differentials
- Protime (with INR)
- PTT
- C-Reactive Protein
- Urinalysis with reflex to culture
- Blood type, ABO/Rh typing (type and screen)
- Hemoglobin A1c Level (for both diabetic and non-diabetic patients)
- Serum Pregnancy Test
- Urine Pregnancy Test

Laboratory test(s) (to be done only at Hospital where surgery to be performed)

- Type and Cross
 - PRBC's number of units

Radiology

- Chest 1 View, Reason: _____ to be done @: _____
- Chest 2 Views, Reason: _____ to be done @: _____

Diagnostics

12 lead ECG, Reason: _____

PreAdmit Nurse to reinforce teaching regarding the following:

- Mechanical Bowel Prep the Day Before Surgery (prescription given by MD office)
please circle option used: Magnesium Citrate and Gatorade, Miralax and Gatorade, or GoLYTELY
- Neomycin PLUS Flagyl or Erythromycin (prescription given by MD office)
- Provide patient with Surgical Site Infection education sheet
- Pre-operative antiseptic skin cleansing: Patient to shower with CHG night before and morning of surgery. For patients who forget or who are unable, chlorhexidine wipe wash on day of surgery.
- Outpatient pre-op nurse to coordinate/follow-up that the MD pre-op orders for SNF patients are carried out before hospital admission.
- If patient on Beta Blocker, instruct to take am dose with sip of water.
- Educate patient to ambulate 4 times per day

Date: _____ Time: _____ MD Signature: _____

Printed MD Name: _____



CITRUS VALLEY MEDICAL CENTER
COLORECTAL SURGERY PRE-OPERATIVE ORDERS

Page 1 of 2

Patient Information

Patient Name

Unit #

D.O.B.



Pre- Op Medications: (Pre-op area)

- alvimopan (Entereg) 12 mg PO ONCE (for open bowel resection only - DO NOT USE if patient has been on narcotics for more than 7 days. Use with caution in patients that have received 3 or more doses of narcotics prior to surgery) – Must be administered no >5 hrs prior and not <30mins before surgery.
- METRONIDazole 500 mg IVPB over 1 hour, within one hour prior to incision per anesthesia (for immediate type PCN allergy)
- Invanz 1 GM IVPB over 30 minutes administered prior to incision per anesthesia

IV Solutions

- Lactated Ringers IV 100 mL/hr
- Sodium Chloride 0.9% IV 100 mL/hr
- Other: _____

OTHER:

- Check Blood glucose levels: if >180mg/dl or <70mg/dl, notify Anesthesiologist
- Hair removal with clippers (SCIP 6)
- Maintain normothermia using forced air blanket/gown in holding area.

VTE Prophylaxis (Pre-Op Area)

- heparin 5000 units SQ upon arrival
- Dalteparin 2500 units SQ upon arrival to Pre-Op
- Sequential Compression Device sleeves, apply in OPHA

Other

Date: _____ Time: _____ MD Signature: _____

Printed MD Name: _____



CITRUS VALLEY MEDICAL CENTER
COLORECTAL SURGERY PRE-OPERATIVE ORDERS

Page 2 of 2

Patient Information

Patient Name

Unit #

D.O.B.

